



Welcome to EntireCare Rehab & Sports Medicine!

You are receiving this packet of information as either you or your physician has indicated the need for women's wellness physical therapy. Please find the included forms to be completed in full prior to your first physical therapy visit. If there are forms in which you feel are not pertinent to you, please disregard these.

Instructions for the Daily Voiding Log:

If you are being seen due to issues with incontinence of any kind, please fill out these forms. There should be three separate pages of the same form included. Please track your daily input/output in detail over a 3 day period. Please be detailed about everything that you eat and drink. You have the option to measure the amount that you void (urinate) in either fluid ounces, Small/Medium/Large output, or by counting the seconds it takes you to urinate. When documenting whether urge is present or not, the scale is rated from 1 through 3. If you rate your urge to urinate at 3, this means you have to go now or you will wet yourself. The last column indicates whether or not you were performing an activity and subsequently leaked, please document which activity you were doing.

I look forward to seeing you soon!

Sincerely,

Dixie Callan, PT, DPT
EntireCare Rehab & Sports Medicine
(928) 773-2125



Patient History

Name _____ Age _____ Date _____

Email _____ Phone # _____

1. Describe the current problem that brought you here? _____

2. When did your problem first begin? _____ months ago or ____ years ago.

3. Was your first episode of the problem related to a specific incident? Yes/No

Please describe and specify date _____

4. Since that time is it: staying the ____ same _____ getting worse _____ getting better

Why or how? _____

5. If pain is present rate pain on a 0-10 scale 10 being the worst. _____ Describe the nature of the pain (i.e. constant burning, intermittent ache) _____

6. Describe previous treatment/exercises _____

7. Activities/events that cause or aggravate your symptoms. Check/circle all that apply

- | | |
|--|---|
| <input type="checkbox"/> Sitting greater than _____ minutes | <input type="checkbox"/> With cough/sneeze/straining |
| <input type="checkbox"/> Walking greater than ____ minutes | <input type="checkbox"/> With laughing/yelling |
| <input type="checkbox"/> Standing greater than ____ minutes | <input type="checkbox"/> With lifting/bending |
| <input type="checkbox"/> Changing positions (ie. - sit to stand) | <input type="checkbox"/> With cold weather |
| <input type="checkbox"/> Light activity (light housework) | <input type="checkbox"/> With triggers -running water/key in door |
| <input type="checkbox"/> Vigorous activity/exercise (run/weight lift/jump) | <input type="checkbox"/> With nervousness/anxiety |
| <input type="checkbox"/> Sexual activity | <input type="checkbox"/> No activity affects the problem |
| <input type="checkbox"/> Other, please list _____ | |

8. What relieves your symptoms? _____

9. How has your lifestyle/quality of life been altered/changed because of this problem?

Social activities (exclude physical activities), specify _____

Diet /Fluid intake, specify _____

Physical activity, specify _____

Work, specify _____

Other _____

10. Rate the severity of this problem from 0 -10 with 0 being no problem and 10 being the worst _____

11. What are your treatment goals/concerns? _____

Since the onset of your current symptoms have you had:

Y/N Fever/Chills

Y/N Unexplained weight change

Y/N Dizziness or fainting

Y/N Change in bowel or bladder functions

Y/N Other /describe _____

Y/N Malaise (Unexplained tiredness)

Y/N Unexplained muscle weakness

Y/N Night pain/sweats

Y/N Numbness / Tingling



Health History: Date of Last Physical Exam _____ Tests performed _____

General Health: Excellent Good Average Fair Poor Occupation _____

Hours/week _____ On disability or leave? _____ Activity Restrictions? _____

Mental Health: Current level of stress High _____ Med _____ Low _____ Current psych therapy? Y/N

Activity/Exercise: None 1-2 days/week 3-4 days/week 5+ days/week

Describe _____

Have you ever had any of the following conditions or diagnoses? circle all that apply /describe

Cancer	Stroke	Emphysema/chronic bronchitis
Heart problems	Epilepsy/seizures	Asthma
High Blood Pressure	Multiple sclerosis	Allergies-list below
Ankle swelling	Head Injury	Latex sensitivity
Anemia	Osteoporosis	Hypothyroid/ Hyperthyroid
Low back pain	Chronic Fatigue Syndrome	Headaches
Sacroiliac/Tailbone pain	Fibromyalgia	Diabetes
Alcoholism/Drug problem	Arthritic conditions	Kidney disease
Childhood bladder problems	Stress fracture	Irritable Bowel Syndrome
Depression	Rheumatoid Arthritis	Hepatitis HIV/AIDS
Anorexia/bulimia	Joint Replacement	Sexually transmitted disease
Smoking history	Bone Fracture	Physical or Sexual abuse
Vision/eye problems	Sports Injuries	Raynaud's (cold hands and feet)
Hearing loss/problems	TMJ/ neck pain	Pelvic pain
Other/Describe _____		

Surgical /Procedure History

Y/N	Surgery for your back/spine	Y/N	Surgery for your bladder/prostate
Y/N	Surgery for your brain	Y/N	Surgery for your bones/joints
Y/N	Surgery for your female organs	Y/N	Surgery for your abdominal organs
Other/describe _____			

Ob/Gyn History (females only)

Y/N	Childbirth vaginal deliveries # _____	Y/N	Vaginal dryness
Y/N	Episiotomy # _____	Y/N	Painful periods
Y/N	C-Section # _____	Y/N	Menopause - when? _____
Y/N	Difficult childbirth # _____	Y/N	Painful vaginal penetration
Y/N	Prolapse or organ falling out	Y/N	Pelvic pain
Y/N	Other /describe _____		

Males only

Y/N	Prostate disorders	Y/N	Erectile dysfunction
Y/N	Shy bladder	Y/N	Painful ejaculation
Y/N	Pelvic pain		
Y/N	Other /describe _____		

Medications - pills, injection, patch Start date Reason for taking

Over the counter -vitamins etc Start date Reason for taking



Pelvic Symptom Questionnaire

Bladder / Bowel Habits / Problems

Y/N	Trouble initiating urine stream	Y/N	Blood in urine
Y/N	Urinary intermittent /slow stream	Y/N	Painful urination
Y/N	Trouble emptying bladder	Y/N	Trouble feeling bladder urge/fullness
Y/N	Difficulty stopping the urine stream	Y/N	Current laxative use
Y/N	Trouble emptying bladder completely	Y/N	Trouble feeling bowel/urge/fullness
Y/N	Straining or pushing to empty bladder	Y/N	Constipation/straining
Y/N	Dribbling after urination	Y/N	Trouble holding back gas/feces
Y/N	Constant urine leakage	Y/N	Recurrent bladder infections
Y/N	Other/describe _____		

- Frequency of urination: awake hour's _____ times per day, sleep hours _____ times per night
- When you have a normal urge to urinate, how long can you delay before you have to go to the toilet? _____ minutes, hours, _____ not at all
- The usual amount of urine passed is: _____ small _____ medium _____ large.
- Frequency of bowel movements _____ times per day, _____ times per week, or _____.
- When you have an urge to have a bowel movement, how long can you delay before you have to go to the toilet? _____ minutes, _____ hours, _____ not at all.
- If constipation is present describe management techniques _____
- Average fluid intake (one glass is 8 oz or one cup) _____ glasses per day.
Of this total how many glasses are caffeinated? _____ glasses per day.
- Rate a feeling of organ "falling out" / prolapse or pelvic heaviness/pressure:
____ None present
____ Times per month (specify if related to activity or your period)
____ With standing for _____ minutes or _____ hours.
____ With exertion or straining
____ Other

Skip questions if no leakage/incontinence

9a. Bladder leakage - number of episodes

- ____ No leakage
- ____ Times per day
- ____ Times per week
- ____ Times per month
- ____ Only with physical exertion/cough

9b. Bowel leakage - number of episodes

- ____ No leakage
- ____ Times per day
- ____ Times per week
- ____ Times per month
- ____ Only with exertion/strong urge

10a. On average, how much urine do you leak?

- ____ No leakage
- ____ Just a few drops
- ____ Wets underwear
- ____ Wets outerwear
- ____ Wets the floor

10b. How much stool do you lose?

- ____ No leakage
- ____ Stool staining
- ____ Small amount in underwear
- ____ Complete emptying

11. What form of protection do you wear? (Please complete only one)

- ____ None
- ____ Minimal protection (Tissue paper/paper towel/pantishields)
- ____ Moderate protection (absorbent product, maxipad)
- ____ Maximum protection (Specialty product/diaper)
- ____ Other _____

On average, how many pad/protection changes are required in 24 hours? _____ # of pads



PFDI- 20 Instructions: Please answer all of the questions in the following survey. These questions will ask you if you have certain bowel, bladder, or pelvic symptoms and, if you do, how much they bother you. Answer these by circling the appropriate number. While answering these questions, please consider your symptoms over the **last 3 months**.

The PFDI-20 has 20 items and 3 scales of your symptoms.
All items use the following format with a response scale from 0 to 4.

Symptoms Present = YES, scale of bother:

1 = not at all
2 = somewhat
3 = moderately
4 = quite a bit
0 = not present

Symptoms Not Present = NO

Pelvic Organ Prolapse Distress Inventory 6 (POPDI-6)

Do you ...	No	Yes
1. Usually experience pressure in the lower abdomen?	0	1 2 3 4
2. Usually experience heaviness or dullness in the pelvic area?	0	1 2 3 4
3. Usually have a bulge or something falling out that you can see or feel in your vaginal area?	0	1 2 3 4
4. Ever have to push on the vagina or around the rectum to have or complete a bowel	0	1 2 3 4
5. Usually experience a feeling of incomplete bladder emptying?	0	1 2 3 4
6. Ever have to push up on a bulge in the vaginal area with your fingers to start or complete urination?	0	1 2 3 4

Colorectal-Anal Distress Inventory 8 (CRAD-8):

Do you ...	No	Yes
7. Feel you need to strain too hard to have a bowel movement?	0	1 2 3 4
8. Feel you have not completely emptied your bowels at the end of a bowel movement?	0	1 2 3 4
9. Usually lose stool beyond your control if your stool is well formed?	0	1 2 3 4
10. Usually lose stool beyond your control if your stool is loose?	0	1 2 3 4
11. Usually lose gas from the rectum beyond your control?	0	1 2 3 4
12. Usually have pain when you pass your stool?	0	1 2 3 4
13. Experience a strong sense of urgency and have to rush to the bathroom to have a bowel movement?	0	1 2 3 4
14. Does part of your bowel ever pass through the rectum and bulge outside during or after a bowel	0	1 2 3 4

Urinary Distress Inventory 6 (UDI-6):

Do you ...	No	Yes
15. Usually experience frequent urination?	0	1 2 3 4
16. Usually experience urine leakage associated with a feeling of urgency, that is, a strong sensation	0	1 2 3 4
17. Usually experience urine leakage related to coughing, sneezing, or laughing?	0	1 2 3 4
18. Usually experience small amounts of urine leakage (that is, drops)?	0	1 2 3 4
19. Usually experience difficulty emptying your bladder?	0	1 2 3 4
20. Usually experience <i>pain</i> or <i>discomfort</i> in the lower abdomen or genital region?	0	1 2 3 4



DAILY VOIDING LOG

Name _____

Date _____

Time of Day	Type & Amount of Food & Fluid Intake	Amount Voided Ounces, S /M /L or Seconds	Amount of Leakage S /M /L	Was Urge Present 1 /2 /3	Activity With Leakage
Midnight					
1:00 am					
2:00 am					
3:00 am					
4:00 am					
5:00 am					
6:00 am					
7:00 am					
8:00 am					
9:00 am					
10:00 am					
11:00 am					
Noon					
1:00 pm					
2:00 pm					
3:00 pm					
4:00 pm					
5:00 pm					
6:00 pm					
7:00 pm					
8:00 pm					
9:00 pm					
10:00 pm					
11:00 pm					

Comments _____

Number of pads used today _____



DAILY VOIDING LOG

Name _____

Date _____

Time of Day	Type & Amount of Food & Fluid Intake	Amount Voided Ounces, S /M /L or Seconds	Amount of Leakage S /M /L	Was Urge Present 1 /2 /3	Activity With Leakage
Midnight					
1:00 am					
2:00 am					
3:00 am					
4:00 am					
5:00 am					
6:00 am					
7:00 am					
8:00 am					
9:00 am					
10:00 am					
11:00 am					
Noon					
1:00 pm					
2:00 pm					
3:00 pm					
4:00 pm					
5:00 pm					
6:00 pm					
7:00 pm					
8:00 pm					
9:00 pm					
10:00 pm					
11:00 pm					

Comments _____

Number of pads used today _____



DAILY VOIDING LOG

Name _____

Date _____

Time of Day	Type & Amount of Food & Fluid Intake	Amount Voided Ounces, S /M /L or Seconds	Amount of Leakage S /M /L	Was Urge Present 1 /2 /3	Activity With Leakage
Midnight					
1:00 am					
2:00 am					
3:00 am					
4:00 am					
5:00 am					
6:00 am					
7:00 am					
8:00 am					
9:00 am					
10:00 am					
11:00 am					
Noon					
1:00 pm					
2:00 pm					
3:00 pm					
4:00 pm					
5:00 pm					
6:00 pm					
7:00 pm					
8:00 pm					
9:00 pm					
10:00 pm					
11:00 pm					

Comments _____

Number of pads used today _____