

NAHMG Cardiology-Sleep Flagstaff 2000 S. Thompson St. Flagstaff, AZ 86001 P: (928) 226-6400 F: (928) 226-6411 NAHMG Sleep Cottonwood 1759 E. Villa Drive, Ste. 313 Cottonwood, AZ 86326 P: (928) 639-5095 F: (928) 639-6049

Sleep Study Information

(4-7 days
omplete the
n the main clinic

Before your appointment

Please let us know if you have any special needs, particularly special medications, pulmonary treatments, supplemental oxygen, and difficulty walking or getting in and out of bed and or using the restroom. If you are not self-sufficient and/or require a caretaker or family member for assistance please inform the lab ASAP so proper arrangements can be made.

Polysomnogram (PSG) – Overnight Sleep Study

A PSG is a recording during sleep that uses EEG (brain activity), breathing and other physiologic measures to evaluate sleep disorders. Patients usually come to the laboratory in the evening and stay overnight for continuous monitoring. The study is usually complete around 5:00 to 6:00 am.

The technologist records various information for interpretation by our sleep medicine physician. Sleep studies are utilized to help evaluate patients who experience excessive sleepiness during the day, snoring, high blood pressure as well as other heart and medical conditions. There are many sleep disorders and the most common is sleep apnea, which is repeated interruptions in breathing while asleep.

How to prepare for your sleep study

 Please complete the included/attached Sleep History Questionnaire and bring with you to your appointment.

- Please have your hair and skin clean and free of all hairsprays, lotions, and oils. *One fingernail needs to be free from acrylics and/or nail polish.*
- Try to follow your normal routine no excessive exercise, stress, eating, etc.
- Avoid caffeine and alcohol after 12 pm on the day of your study.
- Take your regular medication as directed by your physician and <u>bring all medications that you may need</u> <u>during your stay at the lab.</u>

What to Bring

- Comfortable, loose fitting clothing for sleep.
- Your normal nighttime medications.
- Also, feel free to bring a book, magazine, laptop/tablet or other items that will help you feel comfortable while staying away from home.
- Please **do not** bring pillows, blankets, or an overnight bag.

What to expect when you arrive at the lab

- First, you will be screened for COVID-19 symptoms and your temperature will be taken. You will be required to wear a mask per COVID-19 precautions until the sleep study begins.
- Then, the sleep technologist will show you to your bedroom. You will be able to finish any questionnaires and change into your nightclothes.
- The sleep technologist will explain your procedure in great detail and answer all your questions before they begin.
- The sleep technologist will then apply electrodes to you scalp to record brain waves and elastic belts to
 monitor your breathing. Other electrodes are used to monitor eye movements, heart rhythms, and leg
 movements. You will be sleeping alone in the recording room, but monitored by the technologist via
 closed circuit video.

Following your sleep study

- You will be finished between 5:00 and 6:00am in which time you will complete morning questionnaires.
- Patient showers at the lab are not permitted due to the COVID-19 pandemic.
- A sleep center staff physician will review you sleep study and make recommendations for treatment based upon the results of your study.
- If you have not made a follow-up appointment with our Sleep provider team, please call us at 928-226-6400 to schedule.

Frequently Asked Questions

Will I have my own room?

Yes, you will have a private bedroom with a television and premium cable channels.

What if I need to use the restroom?

No problem. The wires are all arranged for easy access to the restroom. You will simply call out to your technologist who will promptly respond and disconnect you from the wall connections for you to be able to use the restroom at any point during the night.

If you need assistance getting in/out of bed or while using the restroom, please notify us prior to your study and ASAP as special staffing and scheduling arrangements will need to be made.

What if I need to wake early for work or personal reasons?

If you need to wake early for any reason, please notify your technologist before your test begins. We need to record at least 6 hours for a complete sleep study.

What should I bring?

We want your stay with us to be as comfortable as a night in your own bedroom. Bring comfortable, loose fitting clothing to sleep in and your normal nighttime medications. You are also welcome to bring a book, magazine, laptop/tablet or other items that will help you feel comfortable while staying away from home. **Please do not bring pillows, blankets, or an overnight bag.**

In addition, please remember to bring your completed Sleep History Questionnaire.

Do I take my medications?

Take all of your regular medications on the day of your study unless otherwise specified by your physician. Please remember to bring any medications that you usually take before bedtime or when you wake up in the morning. We are an outpatient facility and do not have access to medications.

Can I bring a drink or snack?

Please eat dinner before you arrive for your sleep study. However, you may bring your own snacks to keep in the bedroom with you.

How does a sleep study work?

Once it is time to begin the study, you will be hooked up to approximately 20 small wires, which are held in place with tape and other adhesives. This takes approximately 30 minutes. All of these sensors help us measure your brain activity, heart rate/rhythm, breathing patterns, snoring, oxygen levels, and leg movements. This is a non-invasive procedure and no needles are used in this process. The sensors are attached using all hypoallergenic medical tape and water-soluble paste.

Will I be able to sleep with all those wires on me?

Most patients say that once all the wires are on, they forget about them and have very little trouble sleeping. The wires are very small and organized. You have full range of motion in your bed and are able to sleep in all positions.

Do I have to sleep on my back?

You are able to sleep in any position that is comfortable for you. It is helpful for the physician to make an accurate diagnosis to see how your body responds to sleeping in several positions (on your side and on your back) so you may be asked to try to change positions at some point during the night.

Do I have to go to bed that early?

We want to simulate your normal bedtime routine as much as possible. Upon your arrival to the sleep lab, there is time for you to complete the check-in process, relax, and get set up for the sleep study. Most sleep studies begin with lights off between 9:00 and 11:00pm.


Can my spouse/friend/family come?

Your friends and family members are asked to remain home as we are limiting visitors at our facility during the COVID-19 pandemic to keep patients and staff safe.

What are you doing to keep patients safe during the COVID-19 pandemic?

All patients are required to have a negative COVID-19 test within 7 days of the sleep study. A COVID-19 symptoms screening is also completed at time of scheduling and upon arrival to the sleep lab for all patients as well as staff. At the sleep lab, we are limiting patients to half our normal capacity and no visitors, family, or friends are permitted in the sleep lab unless approved for medical reasons.

CPAP/BIPAP studies are performed using non-vented full-face masks and air scrubbers, which limit the staff and patient exposure to the potential airborne spread of the virus.



NAHMG Cardiology-Sleep Flagstaff 2000 S. Thompson St. Flagstaff, AZ 86001 P: (928) 226-6400 F: (928) 226-6411 NAHMG Sleep Cottonwood 1759 E. Villa Drive, Ste. 313 Cottonwood, AZ 86326 P: (928) 639-5095 F: (928) 639-6049

SLEEP MEDICINE HISTORY FORM

NΑ	ME				DOB		DA	TE
		Sex: M / F	Weight:	lbs	Height:_	ft	in	
Primary Care Provider:				Collar	size(inches):	:		
SLE	EEP ROUTINE:							
W	nat TIME do you GO 1	O BED?						
1.	How long does it tak	e for you to f	all asleep?					
	What occurs during	that time?						
2.	Do you frequently wa. If YES, how many		middle of the	night?		YES/NO		
	b. What is the reason		up during the	night?				
	c. How long does it	_	. •	_				
3.	What TIME do you V	•						
	Do you feel REFRESH Do you take any		_			YES/NO		
٥.	a. Scheduled/Plann	ed Nans				YES/NO	When	How Long
	b. Unscheduled/Un		s?			YES/NO	· · · · · · · · · · · · · · · · · · ·	
							When	inactive
							In con	versations
_	c. IF YES, Do you fe			•		YES/NO		
	Any change in sleep	-				0.414155.//		
/.	Have you recently had in the PAST 3 YEARS?		e in your WEIG	ні		GAINED/I	LOST How m	uch?
	EEP APNEA SYMPTON							
8.	Has anyone told you	•	DRE?			YES/NO		
	a. If YES, How LOUE)?				MILD/ M	ODERATE/ LO	OUD/ VERY LOUD
	Has anyone seen you	u STOP BREAT	HING or			YES/NO		
	have pauses in breat	thing when yo	ou sleep?					
9.	Do you wake-up from	•	a			YES/NO		
	CHOKING/GAGGING							
10.	Has anyone told you	that you						
	MAKE SNORTING/GA	ASPING noises	s in sleep?			YES/NO		

11.	Do you wake up with a DRY MOUTH?	YES/NO
12.	Do you wake up with a HEADACHE?	YES/NO
13.	Do you DROOL on the pillow?	YES/NO
14.	Do you feel TIRED during the day?	NO/ Mild/ Moderate/ Severe
	,	. ,
RE:	STLESS LEGS:	
15.	Do you have UNCOMFORTABLE SENSATIONS	YES/NO
	in your legs before bedtime?	
16.	If YES, please describe them?	
17.	Do you have any of the following during sleep?	
	a. SLEEPWALKING	YES/NO
	b. SLEEP TALKING	YES/NO
	c. NIGHTMARES	YES/NO
	d. ACTING OUT DREAMS	YES/NO
	EP HYGIENE:	
١.	Do you do any of these activities in your bed/bed	
	a. WATCH TV	YES/NO
	b. EAT	YES/NO
_	c. READ	YES/NO
	Do you drink coffee/caffeinated beverages?	Never/Occasional/Moderate
	SMOKING	Never/Former/Current
	Do you drink ALCOHOL?	Never/Occasional/Moderate
5.	Do you use illicit drugs?	YES/NO Type
MI	SCELLANEOUS:	
	When FALLING ASLEEP or WAKING UP	
	a. Do you ever SEE or HEAR things?	YES/NO
	If YES, DESCRIBE	5, 5
	b. Do you ever FEEL PARALYZED?	YES/NO
2.	Do you ever feel SUDDEN MUSCLE WEAKNESS	YES/NO
	when you are laughing?	,
DR	UG ALLERGIES: Check box if no known allergies to	any medications L .
	Drug name What Reaction?	
		- What Reaction?
	c. Drug name	- What Reaction?
FΔ	MILY HISTORY:	
	Does anyone in your family have sleep apnea?	YES/NO
••	a. If YES, who?	125/140
	a 20, wild.	

Have yo		re? NO/YES where?	
PAST ME	EDICAL HISTORY		
	tension (high blood pressure)	☐ Nasal allergies / nasal congestion	☐ Thyroid disease
□ Heart		☐ Congestive heart failure	☐ Diabetes
□ Cardia	ac arrhythmias	☐ Stroke / TIA	☐ Heartburn / reflux
	fibrilation	☐ Pulmonary hypertension	☐ Fibromyalgia
☐ Lung p	oroblems / COPD / Asthma	☐ Anemia / iron deficiency	☐ Menopause
٠.	ison's disease	☐ Seizures	□ Cancer
⊒ Arthri	tis	□ Autoimmune disease	☐ Broken nose
□ Depre	ssion / anxiety / bipolar	☐ End stage kidney disease / dialysis	☐ Head injury
□ Pacen		☐ Chronic Pain (reason)	
□ Other	:		
EVIEW C	OF SYSTEMS:		
	DF SYSTEMS: ne symptoms you frequently exp	erience:	
Check th	ne symptoms you frequently exp		
Check th Const:	ne symptoms you frequently exp	y □ Feeling tired □ Chills	oss o Nasal discharge
Check th Const:	ne symptoms you frequently exp Fever Feeling poorly Ear pain Frequent nose	y □ Feeling tired □ Chills ebleeds □ Sore throat □ Hearing Io	ess o Nasal discharge
Check th Const: ENT:	ne symptoms you frequently exp □ Fever □ Feeling poorly □ Ear pain □ Frequent nose □ Hoarseness lasting more th	y □ Feeling tired □ Chills ebleeds □ Sore throat □ Hearing Io an 2 weeks □ Nasal congestion	· ·
Check th Const: ENT:	ne symptoms you frequently exp □ Fever □ Feeling poorly □ Ear pain □ Frequent nose □ Hoarseness lasting more th □ Passing out □ Chest pai	y □ Feeling tired □ Chills ebleeds □ Sore throat □ Hearing Ic an 2 weeks □ Nasal congestion in, tightness or pressure □ irregular h	· ·
Check th Const: ENT: Heart:	The symptoms you frequently explain a Fever □ Feeling poorly □ Ear pain □ Frequent nose □ Hoarseness lasting more th □ Passing out □ Chest pain □ Palpitations □ Swelling o	y □ Feeling tired □ Chills ebleeds □ Sore throat □ Hearing lo an 2 weeks □ Nasal congestion in, tightness or pressure □ irregular h of feet/ ankles	· ·
Check th Const: ENT: Heart:	Passing out □ Swelling of breath □ Frequent □ Frequent nose □ Passing out □ Chest pai □ Palpitations □ Swelling □ Shortness of breath □ Frequent □ Freque	y □ Feeling tired □ Chills ebleeds □ Sore throat □ Hearing Ic an 2 weeks □ Nasal congestion in, tightness or pressure □ irregular h	· ·
Check th Const: ENT: Heart: Resp:	Per Passing out Palpitations □ Swelling of Palpitations □ Shortness of breath □ Wheezing	y □ Feeling tired □ Chills ebleeds □ Sore throat □ Hearing lo ian 2 weeks □ Nasal congestion in, tightness or pressure □ irregular h of feet/ ankles equent cough for more than 2 weeks	neartbeat
Check th Const: ENT: Heart: Resp:	Pever □ Feeling poorly □ Fever □ Feeling poorly □ Ear pain □ Frequent nose □ Hoarseness lasting more th □ Passing out □ Chest pai □ Palpitations □ Swelling □ □ Shortness of breath □ Fre □ Wheezing □ Abdominal pain □ Difficult	y	neartbeat
Check th Const: ENT: Heart: Resp: GI:	Pever □ Feeling poorly □ Fever □ Feeling poorly □ Ear pain □ Frequent nose □ Hoarseness lasting more th □ Passing out □ Chest pai □ Palpitations □ Swelling □ Shortness of breath □ Fre □ Wheezing □ Abdominal pain □ Difficult □ Constipation □ Diarrhea □	y □ Feeling tired □ Chills ebleeds □ Sore throat □ Hearing lo ian 2 weeks □ Nasal congestion in, tightness or pressure □ irregular h of feet/ ankles equent cough for more than 2 weeks y swallowing/ food "sticking" □ Frequent he Nausea □ Vomiting	neartbeat artburn/ indigestion
Check th Const: ENT: Heart: Resp: GI:	□ Fever □ Feeling poorly □ Ear pain □ Frequent nose □ Hoarseness lasting more th □ Passing out □ Chest pai □ Palpitations □ Swelling □ □ Shortness of breath □ Fre □ Wheezing □ Abdominal pain □ Difficult □ Constipation □ Diarrhea □	Preeling tired Chills Sore throat Hearing lowed Hearing lowers Nasal congestion In, tightness or pressure Irregular hof feet/ ankles Sequent cough for more than 2 weeks Sy swallowing/ food "sticking" Frequent hem Nausea Vomiting Joint stiffness Limb pain Lime	neartbeat
Check th Const: ENT: Heart: Resp: GI: MSK:	Pever □ Feeling poorly □ Fever □ Feeling poorly □ Ear pain □ Frequent nose □ Hoarseness lasting more th □ Passing out □ Chest pai □ Palpitations □ Swelling © □ Shortness of breath □ Fre □ Wheezing □ Abdominal pain □ Difficult □ Constipation □ Diarrhea □ □ Joint pain □ Joint swelling □ Muscle pain □ Back pain	y □ Feeling tired □ Chills ebleeds □ Sore throat □ Hearing lo ian 2 weeks □ Nasal congestion in, tightness or pressure □ irregular h of feet/ ankles equent cough for more than 2 weeks by swallowing/ food "sticking" □ Frequent he Nausea □ Vomiting □ Joint stiffness □ Limb pain □ Lim	neartbeat artburn/ indigestion b swelling
Check th Const: ENT: Heart: Resp: GI: MSK:	Pever □ Feeling poorly □ Ear pain □ Frequent nose □ Hoarseness lasting more th □ Passing out □ Chest pai □ Palpitations □ Swelling □ Shortness of breath □ Fre □ Wheezing □ Abdominal pain □ Difficult □ Constipation □ Diarrhea □ □ Joint pain □ Joint swelling □ Muscle pain □ Back pain □ Frequent headaches □ Sei	Preeling tired Chills Sore throat Hearing lowed Hearing lowers Nasal congestion In, tightness or pressure Irregular hof feet/ ankles Sequent cough for more than 2 weeks Sy swallowing/ food "sticking" Frequent hem Nausea Vomiting Joint stiffness Limb pain Lime	neartbeat artburn/ indigestion b swelling
Check th Const: ENT: Heart: Resp: GI: MSK: Neuro:	Pever □ Feeling poorly □ Ear pain □ Frequent nose □ Hoarseness lasting more th □ Passing out □ Chest pai □ Palpitations □ Swelling © □ Shortness of breath □ Fre □ Wheezing □ Abdominal pain □ Difficult □ Constipation □ Diarrhea □ □ Joint pain □ Joint swelling □ Muscle pain □ Back pain □ Frequent headaches □ Sein □ Ringing in ear(s)	Peeling tired Chills cebleeds Sore throat Hearing low can 2 weeks Nasal congestion cin, tightness or pressure irregular hoffeet/ ankles cequent cough for more than 2 weeks cy swallowing/ food "sticking" Frequent he Nausea Vomiting Joint stiffness Limb pain Lime cizures Numbness/tingling Weakness	artburn/ indigestion
Check the Const: ENT: Heart: Resp: GI: MSK: Neuro: Behav:	Pever □ Feeling poorly □ Ear pain □ Frequent nose □ Hoarseness lasting more th □ Passing out □ Chest pail □ Palpitations □ Swelling □ Shortness of breath □ Fre □ Wheezing □ Abdominal pain □ Difficult □ Constipation □ Diarrhea □ □ Joint pain □ Joint swelling □ Muscle pain □ Back pain □ Frequent headaches □ Seil □ Ringing in ear(s) □ Anxiety □ Change in person	Preeling tired Chills Chills	artburn/ indigestion
Check the Const: ENT: Heart: Resp: GI: MSK: Neuro:	□ Fever □ Feeling poorly □ Ear pain □ Frequent nose □ Hoarseness lasting more th □ Passing out □ Chest pai □ Palpitations □ Swelling □ □ Shortness of breath □ Fre □ Wheezing □ Abdominal pain □ Difficult □ Constipation □ Diarrhea □ □ Joint pain □ Joint swelling □ Muscle pain □ Back pain □ Frequent headaches □ Sei □ Ringing in ear(s) □ Anxiety □ Change in perso	Preeling tired Chills Chills	artburn/ indigestion



NORTHERN ARIZONA HEALTHCARE

EPWORTH SLEEPINESS SCALE FORM

NAME _____ DOB ____ DATE ____

The test is a list of eight situations in which you rate your tendency to become Sleepy			
Instructions: Be as truthful as possible.			
Write down the number corresponding to your choice in the right hand column. Total your score below.			
No chance of dozing =0			
Slight chance of dozing =1			
Moderate chance of dozing =2			
High chance of dozing =3			
SITUATION	CHANCE OF DOZING		
Sitting and reading			
Watching TV			
Sitting inactive in a public place (e.g., a theater or a meeting)			
As a passenger in a car for an hour without a break			
Lying down to rest in the afternoon when circumstances permit			
Sitting and talking to someone			
Sitting quietly after a lunch without alcohol			
In a car, while stopped for a few minutes in traffic			
Total Score	e =		



NAHMG Sleep Cottonwood 1759 E. Villa Dr. Ste. 313 Cottonwood, AZ 86326

Phone: P: (928) 639-5095



From Sedona and North via AZ-89A:

Head south on AZ-89A. Turn Right after Taco Bell (on the right) onto Cove Pkwy. Turn left onto Villa Dr. 1759 E. Villa Dr. is on the left side.

From Prescott and West via AZ-69

Head east on AZ-69 S/E State Rte. 69. Turn left on AZ-169 N. Turn left to merge onto I-17 N toward Flagstaff. Take exit 287 for AZ-260 toward AZ-89A/Cottonwood/Payson. Use left 2 lanes to turn left onto AZ-260 W/Finnie Flat Rd (signs for AZ-89A/Cottonwood/Jerome. Continue to follow AZ-260 W continuing straight through seven traffic circles to stay on AZ-260 W. Continue straight onto Cove Pkwy. Turn left onto Villa Dr. 1759 E. Villa Dr. is on the left side.

From Camp Verde and East via AZ-260

Head west on AZ-260 W. Continue straight through seven traffic circles to stay on AZ-260 W. Continue straight onto Cove Pkwy. Turn left onto Villa Dr. 1759 E. Villa Dr. is on the left side.

From North or South via I-17

Take exit 287 for AZ-260 toward AZ-89A/Cottonwood/Payson. Follow signs west from the I-17 toward Cottonwood/Jerome. Continue to follow AZ-260 W continuing straight through seven traffic circles to stay on AZ-260 W. Continue straight onto Cove Pkwy. Turn left onto Villa Dr. 1759 E. Villa Dr. is on the left side.